

VPN!

Πίνακας περιεχομένων

1. Install docker (Home PC)	1
2. VPN	1
3. Create VPN	2
4. Create user	3
5. rm vpn user	5
6. show all vpn users	6
7. show all connected vpn users	6

1. Install docker (Home PC)

HowTo: See [How to](#)




NOTE

Assuming you're already logged in

2. VPN

A **virtual private network (VPN)** extends a private network across a public network, and enables users to send and receive data across shared or public networks as if their computing devices were directly connected to the private network. Applications running on a computing device, e.g., a laptop, desktop, smartphone, across a VPN may therefore benefit from the functionality, security, and management of the private network. Encryption is a common, though not an inherent, part of a VPN connection

More: [wikipedia](#)



NOTE



OpenVPN is an open-source software that implements virtual private network (VPN) techniques to create secure point-to-point or site-to-site connections in routed or bridged configurations and remote access facilities. It uses a custom security protocol that utilizes SSL/TLS for key exchange. It is capable of traversing network address translators (NATs) and firewalls. It was written by James Yonan and is published under the GNU General Public License (GPL).

[More: wikipedia](#)

3. Create VPN

create-vpn.sh

```
#!/bin/bash
IP=192.168.89.5                                # Server IP
P=1194                                         # Server Port
OVPN_SERVER='10.80.0.0/16'                   # VPN Network
vpn_data=/var/lib/swarmlab/openvpn/openvpn-services/ # Dir to save data ** this
must exist **
NAME=swarmlab-vpn-services                    # name of docker service
DOCKERnetwork=swarmlab-vpn-services-network   # docker network
docker=registry.vlabs.uniwa.gr:5080/myownvpn # docker image

docker stop $NAME                            #stop container
sleep 3
docker container rm $NAME                    #rm container

# rm config files
sudo rm -f $vpn_data/openvpn.conf.*.bak
sudo rm -f $vpn_data/openvpn.conf
sudo rm -f $vpn_data/ovpn_env.sh.*.bak
sudo rm -f $vpn_data/ovpn_env.sh

# create network
sleep 2
```

```

docker network create --attachable=true --driver=bridge --subnet=172.50.0.0/16
--gateway=172.50.0.1 $DOCKERnetwork

read -d '' MULTILINE_EXTRA_SERVER_CONF << EOF
duplicate-cn
max-clients 35000
topology subnet
EOF

#run container
sleep 3
docker run --net=none -it -v $vpn_data:/etc/ovpn --rm $docker ovpn_genconfig -u
udp://$IP:1194 \
-N -d -c -p "route 172.50.20.0 255.255.255.0" -e "topology subnet" -s $OVPN_SERVER

# create pki
sleep 3
echo "new pki is disabled"
docker run --net=none -v $vpn_data:/etc/ovpn --rm -it $docker ovpn_initpki

#sleep 3
#docker run --net=none -v $vpn_data:/etc/ovpn --rm $docker ovpn_copy_server_files

#create vpn
sleep 3
docker run --detach --name $NAME -v $vpn_data:/etc/ovpn --net=$DOCKERnetwork
--ip=172.50.0.2 -p $P:1194/udp --cap-add=NET_ADMIN $docker

sleep 5
sudo sysctl -w net.ipv4.ip_forward=1

#show created
docker ps

```

4. Create user

config

```
#!/bin/bash
IP=83.212.114.14
P=5194
vpn_data=/var/lib/swarmlab/openvpn/openvpn-services/
NAME=swarmlab-vpn-services
DOCKERnetwork=swarmlab-vpn-services-network
docker=registry.vlabs.uniwa.gr:5080/myownvpn
PATHNAME=/var/lib/swarmlab/openvpn/etc/vpn-data_user_config
vpn_data_user_config=$PATHNAME

vpn_data=/var/lib/swarmlab/openvpn/openvpn-services/
vpn_data_user_config=/var/lib/swarmlab/openvpn/etc/vpn-data_user_config
NAME=swarmlab-vpn-services

MANAGER=/var/lib/swarmlab/openvpn/etc/managers
WORKER=/var/lib/swarmlab/openvpn/etc/workers
MANAGERkeys=/var/lib/swarmlab/openvpn/etc/managers_keys
```

create-user.sh

```
#!/bin/bash

. ./config

sudo mkdir -p $vpn_data
sudo mkdir -p $vpn_data_user_config
sudo mkdir -p $MANAGERkeys

docker=registry.vlabs.uniwa.gr:5080/myownvpn
echo $vpnip
echo $#

docker=registry.vlabs.uniwa.gr:5080/myownvpn
echo $vpnip
echo $#

if [ $# -eq 1 ]; then
    CLIENTNAME=$1
    U=$CLIENTNAME
    mkdir users
    docker run -v $vpn_data:/etc/openvpn --rm -it $docker easyrsa build-client-
full $CLIENTNAME nopass
    sleep 3
    docker run -v $vpn_data:/etc/openvpn --log-driver=none --rm $docker
ovpn_getclient $CLIENTNAME > users/$CLIENTNAME.ovpn

    file="users/$CLIENTNAME.ovpn"
```

```

ps='remote '
pi="remote $IP $P udp"
grep -q "^$ps" $file && sed -i "s/^$ps.*/$pi/" $file || sed -i "5a $pi" $file

ps='comp-lzo'
pi='comp-lzo no'
grep -q "^$ps" $file && sed -i "s/^$ps.*/$pi/" $file || sed -i "6a $pi" $file

ps='resolv-retry'
pi='resolv-retry infinite'
grep -q "^$ps" $file && sed -i "s/^$ps.*/$pi/" $file || sed -i "7a $pi" $file
ps='persist-key'
pi='persist-key'
grep -q "^$ps" $file && sed -i "s/^$ps.*/$pi/" $file || sed -i "8a $pi" $file

ps='persist-tun'
pi='persist-tun'
grep -q "^$ps" $file && sed -i "s/^$ps.*/$pi/" $file || sed -i "9a $pi" $file

ps='keepalive'
pi='keepalive 15 60'
grep -q "^$ps" $file && sed -i "s/^$ps.*/$pi/" $file || sed -i "10a $pi" $file

else
    echo "no clientname"
fi

```

5. rm vpn user

rm-user.sh

```
#!/bin/bash
. ./config

CLIENTNAME=$1
U=$CLIENTNAME

if [ $# -eq 1 ]; then
    sudo rm -f $vpn_data/pki/reqs/$CLIENTNAME.req
    sudo rm -f $vpn_data/pki/private/$CLIENTNAME.key
    sudo rm -f $vpn_data/pki/issued/$CLIENTNAME.crt
    sudo rm -f $vpn_data/server/ccd/$CLIENTNAME
    sudo rm -f $vpn_data/ccd/$CLIENTNAME
    pem=$(sudo grep "CN=$U$" $vpn_data/pki/index.txt | cut -f4)
    #/var/lab/gswarm/vpn-
data/pki/certs_by_serial/BACA61827E65D0E5F695245519410952.pem
    sudo rm -f $vpn_data/pki/certs_by_serial/$pem.pem
    sudo sed -i "/CN=$U$/d" $vpn_data/pki/index.txt
    echo $pem
    docker run -v $vpn_data:/etc/openvpn --log-driver=none --rm -it $docker
ovpn_revokeclient $CLIENTNAME remove

    sudo rm -f $vpn_data_user_config/$CLIENTNAME.ovpn
    sudo rm -f $vpn_data_user_config1/$CLIENTNAME.ovpn
else
    echo "no client"
fi
```

6. show all vpn users

show-user.sh

```
. ./config

docker exec -it $NAME ovpn_listclients
```

7. show all connected vpn users

show-conn-user.sh

```
. ./config

docker exec -it $NAME cat /tmp/openvpn-status.log
```



Reminder

Caminante, no hay camino,
se hace camino al andar.

Wanderer, there is no path,
the path is made by walking.

Antonio Machado Campos de Castilla